

PANTH-ST



- * TYPE: LED projector 'minimal design' for outdoor and indoor applications with PIR sensor. IP65
- * CHARACTERISTICS

Twilight and movement sensor: 10 meters detection range. Wire length 30 cm.

- * OPENING/BEAM: 120°
- * MATERIALS: Painted diecast aluminium. Black colour.
- * NB: Free wire for professional uses (30 mt long).
- * Warranty: 3 years

Item Characteristics

	Code	PANTH-ST50C
	Lamp Voltage	220-240 V
	Nominal Power	50 W
	Base	TERMINALI
	Lamp Current	0,22 A
	Flux	4100 LUMEN
	Colour temperature	6000 K
	Opening beam	120°
	Lenght	218 mm
	Lenght 1	226 mm
	Lenght 2	26 mm
	Weight	185 g
Performance		
	Axis cd	1500
	Irc/Ra	>80
	Lifetime	15000 h
	Energy Class	A+
	kWh/1000h	50

All parts of this document are Duralamp ownership. All rights reserved. This document and the included information are provided without any responsibility deriving from mistakes or omissions. No part of this document can be cut, reproduced or used without written authorization. Duralamp maintains the right to change the included data without notice due to improvements of the products.





Tech Info

rech inio		
	Dimmable	NO
	Number of ON-OFF cycles	100000
	Power Factor	0,90
	Warm-up time up to 60 % of the full light output	Instant Full Light
	Lamp start time	<0,2s
	Mercury (mg)	0
	LLMMF - Lamp lumen maintenance factor	70
	T (°C) Working environment Temp.	-25°C / +35°C
Shipping info	Fulfilled Directives and norms	2009/125/EC * Ecodesign1194/2012 * Regulation for Ecodesign2015/1428 * Regulation for Ecodesign2010/30/EU * Energy Labelling874/2012 * Regulation for Energy Labelling2011/65/EU * RoHS2012/19/EU * RAEE2014/30/EU * EMC (Compatibilità Elettromagnetica)2014/35/EU * LVD (Bassa Tensione)CEI EN 55015:2014 (+A1:2016)CEI EN 60598-1:2015 (+EC:2015/+EC:2016)CEI EN 60598-2-5:2016CEI EN 61000-3- 2:2015CEI EN 61000-3-3:2014 (+EC:2014)CEI EN 61547:2010CEI EN 62031:2009 (+A1/+A2:2015)CEI EN 62471:2010IEC/TR 62471-2:2009CEI 34-141:2012
	H I I	0044005004005
	Item barcode	8011905931605
	Pack	1 pz
	Technical Info	

All parts of this document are Duralamp ownership. All rights reserved. This document and the included information are provided without any responsibility deriving from mistakes or omissions. No part of this document can be cut, reproduced or used without written authorization. Duralamp maintains the right to change the included data without notice due to improvements of the products.